

FCA Canada: 2021 Ram Commercial 3500, 4500 & 5500 Chassis Cab FEATURE AVAILABILITY

S = Standard. O = Optional. P = Part of package.

Note: some features and/or applications may be late availability.

	TRADESMAN	SLT	LARAMIE	LIMITED
CONFIGURATION				
3500				
Body Model				
Regular Cab — 1,524 mm (60 in.) CA (3,645 mm (143.5 in.) wheelbase)	S	S	—	—
Regular Cab — 2,134 mm (84 in.) CA (4,255 mm (167.5 in.) wheelbase) (N/A with 9,900 lb. GVWR)	S	S	—	—
Crew Cab — 1,524 mm (60 in.) CA (4,379 mm (172.4 in.) wheelbase)	O	O	S	S
Drive System				
4x2	S	S	S	S
4x4	O	O	O	O
4500/5500				
Body Model				
Regular Cab — 1,524 mm (60 in.) CA (3,670 mm (144.5 in.) wheelbase)	S	S	—	—
Regular Cab — 2,134 mm (84 in.) CA (4,280 mm (168.5 in.) wheelbase)	S	S	—	—
Regular Cab — 2,743 mm (108 in.) CA (4,890 mm (192.5 in.) wheelbase)	S	S	—	—
Regular Cab — 3,048 mm (120 in.) CA (5,194 mm (204.5 in.) wheelbase)	S	S	—	—
Crew Cab — 1,524 mm (60 in.) CA (4,407 mm (173.5 in.) wheelbase)	O	O	S	S
Crew Cab — 2,134 mm (84 in.) CA (5,014 mm (197.4 in.) wheelbase)	O	O	S	S

	TRADESMAN	SLT	LARAMIE	LIMITED
Drive System				
4x2	S	S	S	S
4x4	O	O	O	O
POWERTRAIN				
Engine / Transmission				
6.4-litre HEMI® V-8 (3500) with eight-speed 8HP75 automatic transmission	S	S	S	S
6.4-litre HEMI V-8 (3500/4500/5500) with six-speed AS66RC Aisin automatic transmission	S/P	S/P	S/P	S/P
6.7-litre Cummins Turbo Diesel I-6 engine with six-speed AS69RC Aisin automatic transmission	O	O	O	O
MECHANICAL				
Alternator				
180-amp	S	S	S	S
220-amp (Included on 3500/4500/5500 models with Heavy-Duty Snowplow Prep Group; included with Electrical Accessory Group and Ambulance Prep Group)	O/P	O/P	O/P	O/P
380-amp (dual 160-amp and 220-amp; requires 6.4-litre)	O	O	O	O
440-amp (dual 220-amp alternators; requires 6.7-litre)	O/P	O/P	O/P	O/P
Axles: 3500				
Single Rear Wheel Group	S	S	S	S
Dual rear wheels	O	O	O	O
Front, 2,721 kg (6,000 lb.) GAWR (SRW axle)	S	S	S	S
Rear, 292 mm (11.50 in.) (SRW axle)	S	S	S	S

	TRADESMAN	SLT	LARAMIE	LIMITED
Front, 205 mm (8.1 in.) (DRW axle)	S/O	S/O	S/O	S/O
Rear, 292 mm (11.50 in.) (DRW axle)	S/O	S/O	S/O	S/O
Rear, 305 mm (12.0 in.) (DRW axle)	P	P	P	P
Axle Ratios: 3500				
3.73 ratio (packaged with diesel models only)	P	P	P	P
4.10 ratio (standard with gas)	S	S	S	S
Rear, anti-spin differential	S	S	S	S
Axles: 4500/5500				
Dual rear wheel	S	S	S	S
Front, 267 mm (10.5 in.)	S	S	S	S
Front, 267 mm (10.5 in.), 3,289 kg (7,250 lb.) GAWR	O	O	O	O
Front axle disconnect (4500/5500 4x4)	S	S	S	S
Rear, anti-spin differential	S	S	S	S

	TRADESMAN	SLT	LARAMIE	LIMITED
Axle Ratios: 4500				
Rear, 4.10 ratio (packaged with 4500 with 6.7-litre engine)	P	P	P	P
4.44 ratio	S	S	S	S
4.89 ratio (available with 6.4-litre engine)	O/P	O/P	O/P	O/P
Rear, American Axle (12,000 lb. GAWR)	S	S	S	S
Axle Ratios: 5500				
4.44 ratio	S	S	S	S
4.89 ratio	O/P	O/P	O/P	O/P
Rear, American Axle, (13,500 lb. GAWR)	S	S	S	S
Fuel Tank				
197-litre (52-US gallon), rear	S	S	S	S
280-litre (74-US gallon) dual fuel tanks (197 (52) and 83 (22) litres (gals.))	O	O	O	O
83-litre (22-US gallon) mid-ship fuel tank	O	O	O	O

	TRADESMAN	SLT	LARAMIE	LIMITED
Power Take Off (PTO)				
Stationary elevated engine idle up	S	S	S	S
Right-side PTO	O	O	O	O
Left-side PTO	O	O	O	O
Split-shaft PTO (packaged with PTO, if diesel)	P	P	P	P
Hard-wired remote start/stop (packaged with PTO)	P	P	P	P
EXTERIOR				
Engine Shut-Off Timer				
6.4-litre and 6.7-litre (5 minutes) (dealer programmable from 1 to 60 minutes)	O	O	O	O
INTERIOR				
Instrument Cluster Displays				
Cluster 3.5 in. thin-film transistor (TFT) black and white display	S	S	—	—
Cluster 3.5 in. TFT colour display	—	P	—	—
Cluster 7.0 in. TFT colour display	P	P	S	S

	TRADESMAN	SLT	LARAMIE	LIMITED
Upfitter Interface				
Vehicle system interface module (VSIM)	S	S	S	S
UCONNECT MULTIMEDIA				
Bluetooth				
Uconnect Voice Command with Bluetooth	S	S	S	S
Compass				
Compass display in the radio (Tradesman availability only with optional 5.0 in. radio)	P	S	S	S
GPS antenna input on radio (packaged with 5.0 in., 8.4 in. and 12.0 in. radios)	P	P	P	P
Connectivity				
Front: Media hub — includes two fully functional type A/C USB port pairs and one auxiliary jack (four USB connection points)	S	S	S	S
Middle: 2.5-amp charge only single USB port (located in centre console or armrest)	S	S	S	S
Rear: Dual remote USB port 2 A/C pairs; one pair fully functional, one pair charge only (packaged with Luxury Group)	—	P	S	S
Auxiliary headphone jack for mobile devices	S	S	S	S
Wireless charging pad (packaged with Laramie)	—	—	P	S
Power				

	TRADESMAN	SLT	LARAMIE	LIMITED
Accessory delay	S	S	S	S
Auxiliary outlets (one battery and one ignition-fed)	S	S	S	S
115-volt auxiliary power outlet, instrument panel-mounted (Tradesman option) (packaged with SLT)	O	P	S	S
115-volt auxiliary power outlet, rear facing, (Crew Cab only) (packaged with SLT)	—	P	S	S
400-watt inverter	P	P	P	P

Radios

Uconnect 3.0 (hands-free Bluetooth), associated display	S	—	—	—
Uconnect 3 with 5-inch touchscreen — AM/FM , media hub (USB, Auxiliary), Bluetooth, SiriusXM Radio, associated display	O	S	—	—
Uconnect 4 with 8.4-inch touchscreen — AM/FM , media hub (USB, Auxiliary), Uconnect with Bluetooth, SiriusXM Radio, associated display	O	O	S	—
Uconnect 4C NAV with 8.4-inch touchscreen - AM/FM , media hub (USB, Auxiliary), Navigation, Uconnect with Bluetooth, SiriusXM Radio, HD radio, (packaged with Laramie) (SLT option is Crew only)	O	O	O/P	S
Uconnect 4C NAV with 12-inch touchscreen — AM/FM/BT/SiriusXM Radio/NAV/HD/CELL, Apple CarPlay and Android Auto, SiriusXM Radio (packaged with Limited)	O	O	O	O/P
Radio controls, steering wheel-mounted audio controls	P	P	S	S

SAFETY AND SECURITY

Camera

	TRADESMAN	SLT	LARAMIE	LIMITED
ParkView rear backup camera	O	O	O	S
Cargo View camera requires 8.4 in. or 12 in. radio, includes LED CHMSL and cargo lamps	O	O	O	O
Auxiliary Remote Camera (Mopar camera available at dealer)	O	O	O	O
Auxiliary Camera Prep, includes vehicle trailer wiring, camera display in radio, 12-pin connector at rear frame rail	O/P	O/P	O/P	O/P
270° Surround View camera (five digital cameras)	P	P	P	P
Parking Sensors				
Rear park assist	O	O	O	S
Front/rear park assist	O	O	O	S
Safety Features				
Security alarm	—	O	S	S
Backup alarm (audible alarm when vehicle is in reverse)	O	O	O	O
Lane Departure Warning, (Lane Keep Assist)	P	P	P	P
Adaptive Steering (standalone option)	P	P	P/O	P/O
Adaptive Cruise Control with Stop	P	P	P	P
Ready Alert Braking	S	S	S	S
Full Speed Forward Collision Warning Plus (available with Adaptive Cruise)	P	P	P	P

	TRADESMAN	SLT	LARAMIE	LIMITED
Lane Keep Assist	P	P	P	P
Adaptive Steering	P	P	P	P
Tire-fill alert system (must have 5 in. radio with Tradesman)	O	O	S	S
Selectable Tire Fill Alert (packaged with 8.4 in. and 12 in.)	P	P	S	S
Tire-pressure Information System	O	S	S	S
Tire-pressure Monitoring Display	S	S	S	S
Trailer Tire-pressure Monitoring	O	O	O	O
Trailer Reverse Guidance	P	P	P	P
DOT– certified Roadside Safety Kit (DOT fire extinguisher, three reflecting triangles, spare fuses, two red vinyl flags)	O	O	O	O
Max Speed Settings (105 km/h, 113 km/h, 124 km/h)	O	O	O	O
Auto High Beam Headlamp Control	P	P	P	S
Rain Sensing Wipers	P	P	P	S
Auxiliary Reverse Lamps (packaged with SLT)	O	O/P	S	S

EQUIPMENT PACKAGES

Electrical Accessory Group	O	O	O	O
----------------------------	---	---	---	---

	TRADESMAN	SLT	LARAMIE	LIMITED
220-amp alternator				
Voltage Monitoring Auto Idle Up				
Trailer Brake Control				
Ambulance Prep Group	O	O	O	O
220-amp alternator				
Voltage Monitoring Auto Idle Up				
Remote rear heat/AC (provides ability to run auxiliary mounted heater and A/C independently of instrument panel controls)				
A/C line tap and engine coolant access for upfitter				
Foam roof blocks (included with Regular Cab only)				
Chrome Appearance Group	O	—	—	—
Chrome front bumper (3500/4500/5500)				
Chrome grille (3500/4500/5500)				
Chrome inserts				
Chrome clad steel wheel on 3500 DRW				
Chrome clad steel wheel on 3500 SRW				
New bright wheel cover (4500/5500)				
Heated Seats and Wheel Group	—	O	—	—
Heated front seats and steering wheel				
Leather-wrapped steering wheel and audio controls				
Remote start				
Cluster 3.5 in. TFT colour display				
Tradesman Level 1 Equipment Group	O	—	—	—

	TRADESMAN	SLT	LARAMIE	LIMITED
Overhead console (Regular Cab)				
Power windows (Regular Cab)				
Power door locks (Regular Cab) (speed sensitive actuation)				
Power black trailer tow mirrors (Regular Cab)				
Door trim: (Regular Cab) (wrapped bolster/armrest, 360 door handles, join seam, Iron Grey painted surround and accent)				
Remote Keyless Entry				
Interior door handles, satin chrome polished				
Laramie Level 1 Equipment Group	—	—	O	—
Auto high beam headlamp control				
Rain-sensing wipers				
Foam bottle door inserts				
Ventilated three-level front driver/passenger seats				
Power-adjustable pedals				
Radio, driver, seat, mirror, pedals memory				
Laramie Level 2 Equipment Group (Includes Laramie Level 1 Equipment Group Content)	—	—	O	—
Uconnect 4C NAV with 8.4-inch touchscreen (AM/FM/SAT/Bluetooth/NAV/Voice)				
17 speakers				
Wireless charging pad				
Rear seat heat (three level)				
Limited Level 1 Equipment Group	—	—	—	O
Uconnect 4C NAV with 12-inch touchscreen radio				
17-speaker system				
Full Speed Forward Collision Warning Plus with Auto Emergency Braking				
Adaptive Cruise Control with Stop				
270° Surround View Camera				

	TRADESMAN	SLT	LARAMIE	LIMITED
Premium Lighting Group	—	O	—	—
LED headlamps				
LED fog lamps				
Cluster 3.5 in. TFT colour display				
Safety Group	O	O	O	O
Forward Collision Warning Plus with Auto Emergency Braking				
Adaptive Cruise Control with Stop, Go and Hold				
Lane Keep Assist				
Adaptive steering				
Rain-sensing wipers				
Automatic high-beam headlamp control				
Trailer Brake Control (Packaged with Tradesman and SLT)				
Tow Technology Group	O	O	O	O
270° Surround View camera				
Trailer reverse guidance				
Auxiliary reverse lamps, mirror-mounted				
Power convex mirrors				
Heavy-Duty Snowplow Prep Group	O	O	O	O
220-amp alternator				
Transfer case skid plate				
Heavy Duty Front Suspension Group (4500 and 5500)				
Luxury Group	—	O	—	—

	TRADESMAN	SLT	LARAMIE	LIMITED
Passenger/driver cloth visors with incandescent illuminated mirrors Universal garage door opener Rear dome lamp with on/off switch Cluster 7.0 in. TFT colour display Leather-wrapped steering wheel with remote audio control buttons Rear backlight, power sliding (Crew Cab only) Foam bottle door insert 115-volt outlet (front) 115-volt outlet (rear) (Crew only) Upper and lower glove box lighting Power adjustable pedals Rear: dual remote USB port (Crew only) 2 A/C pairs; one pair fully functional, one pair charge only Upper glove box door with SLT badge				
Max Tow Package (Requires 6.7L Cummins Diesel Engine and Aisin Transmission)	O	O	O	O
305 mm (12 in.) rear axle (3500) 4.10 axle (3500) 4.44 axle (4500) 4.89 axle (5500) Trailer brake controller				
Max Payload Package (6.4-litre 5500 only)	O	O	O	O
8,618 kg (19,000 lb.) GVWR 8,845 kg (19,500 lb.) GVWR 4.89 axle ratio				
Rollback Carrier Group	O	O	—	—

	TRADESMAN	SLT	LARAMIE	LIMITED
Voltage monitoring auto idle up system				
Rollback carrier adaptation brackets				
220-amp alternator				
Left- or right-side PTO				
83-litre (22-gallon) mid-ship gas tank				
Rear Interior Trim Delete Group (Regular Cab only)	O	O	—	—
Delete front centre seat				
Delete rear floor storage tray				
Delete cab back trim panel				
15,000 lb. GVWR Package	O	O	O	O
Includes 6,804 kg (15,000 lb.) Gross Vehicle Weight Rating (4500)				
4x2, 4x4				
16,000 GVWR Package	O	O	O	O
Includes 7,257 kg (16,000 lb.) Gross Vehicle Weight Rating (4500)				
4x2, 4x4				

| E N D |